

Version 1.0 Revision Date 28.02.2019 Print Date 22.04.2021 Specification Number: 350000035484 SITE FORM Number: 3000000000000023981.001

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier	:	SC Johnson Professional Pledge® Aerosol - Multi-Surface Cleaner UFI: EF85-A3AW-R00V-XKU5
1.2 Relevant identified uses of the	e sub	stance or mixture and uses advised against
Use of the Substance/Mixture	:	Polishes and wax blends
Uses advised against	:	None known.
<b>1.3 Details of the supplier of the safety data sheet</b>	:	SC Johnson Professional Ltd. Denby DE5 8JZ UK
		SC Johnson Professional GmbH Girmesgath 47803 Krefeld EU
Telephone	:	+44 (0) 1773 855 100
E-mail address	:	<u>talktous@scj.com</u>
1.4 Emergency telephone number	:	Consumer Care Center: UK - 0800 353 353 Ireland – 1800 409 176
		Poison Center: Ireland, NPIC - 01 809 2166 (Available 8.am-10pm, 7 days a week) Ireland, NPIC - 01 809 2566 (Healthcare Professionals only) UK, NPIS - 0344 8920111 (Healthcare Professionals only)

### SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture	
Classification according to Regulation (EC) No 1272/2008 (CLP)	

Hazard classification	Hazard category	Hazards identification



Version 1.0 Revision Date 28.02.2019 Print Date 22.04.2021 Specification Number: 350000035484 SITE FORM Number: 3000000000000023981.001

Aerosol	Category 3	Pressurised container: May burst if heated.
Skin sensitisation	Category 1	May cause an allergic skin reaction.

#### 2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 (CLP) Hazard symbols



Signal word Warning

**Contains** 2-methyl-2H-isothiazol-3-one

#### Hazard statements

(H229) Pressurised container: May burst if heated. (H317) May cause an allergic skin reaction.

#### **Precautionary statements**

(P101) If medical advice is needed, have product container or label at hand.
(P102) Keep out of reach of children.
(P302 + P352) IF ON SKIN: Wash with plenty of soap and water.
(P410 + P412) Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.
(P501) Dispose of contents /container in accordance with local regulations.
(P210) Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
(P280) Wear protective gloves.

Additional Labelling Use only in well-ventilated areas. Store in a cool, dry place. 2% by mass of contents are flammable. For professional users only.



Version 1.0 Revision Date 28.02.2019 Print Date 22.04.2021 Specification Number: 350000035484 SITE FORM Number: 3000000000000023981.001

Detergents regulations		-ionic surfactants, perfume , LINALOOL, )THIAZOLINONE
2.3 Other hazards	: Intentional be harmful	misuse by deliberately concentrating and inhaling contents can or fatal.

#### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

#### Hazardous components

Chemical name	CAS-No./EC No	Reg. No	Classification according to Regulation (EC) No 1272/2008 (CLP)	Weight percent
potassium nitrite	7758-09-0 231-832-4	01-2120763964-40	Oxidizing solids Category 2 H272 Acute toxicity Category 3 H301 Short-term (acute) aquatic hazard Category 1 H400 M-Factor Acute - 1	>= 0.10 - < 0.50
2-methyl-2H-isothiazol-3-one	2682-20-4 220-239-6	01-2120764690-50	Short-term (acute) aquatic hazard Category 1	>= 0.00 - < 0.10



Version 1.0 Revision Date 28.02.2019 Print Date 22.04.2021 Specification Number: 350000035484 SITE FORM Number: 3000000000000023981.001

H400
Long-term (chronic)
aquatic hazard
Category 1
H410
H410
Acute toxicity
Category 3
H301
Acute toxicity
Category 3
H311
Skin corrosion/irritation
Skin con osion, initation
Category 1B
H314
H314
Skin sensitisation
Category 1A
H317
Serious eye damage
Category 1
H318
Conscilia torget organ
Specific target organ toxicity - single exposure
toxicity - single exposule
Category 3
11225
H335



Version 1.0 Revision Date 28.02.2019 Print Date 22.04.2021 Specification Number: 350000035484 SITE FORM Number: 3000000000000023981.001

			M-Factor Acute - 1	
			M-Factor Chronic - 1	
WEL substance ethyl alcohol	64-17-5	01-2119457610-43	Flammable liquids	>= 1.00 - <
	200-578-6	01-2119457610-43	Category 2 H225	5.00

#### Additional Information

For the full text of the H-Statements mentioned in this Section, see Section 16.

# SECTION 4: FIRST AID MEASURES

# 4.1 Description of first aid measures

Inhalation	:	Move to fresh air. If breathing is affected, get medical attention.
Skin contact	:	Take off all contaminated clothing immediately. Wash off with soap and plenty of water. Get medical attention if irritation develops and persists. Wash contaminated clothing before re-use.
Eye contact	:	Rinse with plenty of water. Get medical attention if irritation develops and persists.
Ingestion	:	If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label. Rinse mouth with water. If symptoms persist, call a physician.
4.2 Most important symptoms and	d effe	cts, both acute and delayed
Eyes	:	May irritate eyes. No adverse effects expected when used as directed.
Skin effect	:	May cause allergic skin reaction. No adverse effects expected when used as directed.



Version 1.0 Revision Date 28.02.2019 Print Date 22.04.2021 Specification Number: 350000035484 SITE FORM Number: 3000000000000023981.001

Inhalation	:	Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal. No adverse effects expected when used as directed.
Ingestion	:	May cause irritation to mouth, throat and stomach. May cause abdominal discomfort. No adverse effects expected when used as directed.

#### 4.3 Indication of any immediate medical attention and special treatment needed

See Description of first aid measures unless otherwise stated.

### SECTION 5: FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

Suitable	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable	:	None identified
5.2 Special hazards arising from the substance or mixture	:	Heating may cause an explosion. In case of fire and/or explosion do not breathe fumes. Exposure to decomposition products may be a hazard to health.
5.3 Advice for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Wear suitable protective clothing and gloves. Refer to current EN or National standard as appropriate.

SECTION 6: ACCIDENTAL RELEASE MEAS	SURE	S	
6.1 Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Remove all sources of ignition.	
6.2 Environmental precautions	:	Outside of normal use, avoid release to the environment. Prevent large amounts of product from entering drains.	



SC Johnson Professional Pledge®	Aerosol - Multi-Surface Cleaner
Version <i>1</i> .0 Revision Date 28.02.2019	Print Date 22.04.2021 Specification Number: 350000035484 SITE FORM Number: 300000000000023981.001
6.3 Methods and materials for containment and cleaning up	<ul> <li>Use appropriate containment to avoid environmental contamination.</li> <li>If damage occurs to aerosol can: Clean residue from spill site. Dike large spills. Use only non-sparking equipment.</li> </ul>
6.4 Reference to other sections	: For personal protection see section 8. For disposal considerations see section 13.
SECTION 7: HANDLING AND STORAGE	
7.1 Precautions for safe handling	<ul> <li>For personal protection see section 8.</li> <li>Do not breathe vapours or spray mist.</li> <li>Avoid contact with skin and eyes.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Wear personal protective equipment.</li> <li>Do not use in areas without adequate ventilation.</li> <li>Do not puncture.</li> <li>Do not spray on a naked flame or any incandescent material.</li> </ul>
7.2 Conditions for safe storage, including any incompatibilities	<ul> <li>Do not freeze.</li> <li>Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.</li> <li>Keep out of the reach of children.</li> <li>Store away from food, beverages and pet food.</li> <li>No decomposition if stored and applied as directed.</li> </ul>
7.3 Specific end use(s)	<ul> <li>Professional uses: Public domain (administration, education, entertainment, services, craftsmen)</li> <li>Consumer uses: Private households (= general public = consumers)</li> </ul>

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

**Occupational Exposure Limit Values** 

Components	CAS-No.	mg/m3	ppm	Form of exposure	List
ethyl alcohol	64-17-5	1,920	1,000		UK_WELTWAS
		mg/m3	ppm		

Polishes and wax blends



Version 1.0 Revision Date 28.02.2019 Print Date 22.04.2021 Specification Number: 350000035484 SITE FORM Number: 3000000000000023981.001

	5,760	3,000	UK_WELSTEL
	mg/m3	ppm	

Refer to current EN or National standard as appropriate.

#### 8.2 Exposure controls

Respiratory protection	:	In the case of dust or aerosol formation use respirator with an approved filter.
Hand protection	:	Wear suitable gloves. Nitrile gloves – Thickness 0.12mm; Breakthrough time >2 hours. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. Before removing gloves clean them with soap and water.
Eye/face protection	:	No special requirements.
Skin and body protection	:	Wash contaminated clothing before re-use.
Other information	:	When using do not eat, drink or smoke. Wash hands before breaks and at the end of workday.
Environmental Exposure Controls	:	Refer to section 6.

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties

	0/4.0
Melting point/freezing point	: 32 °F
рН	: 8.0 - 9.5 at (20 °C)
Odour Threshold	: Test not applicable for this product type
Odour	: Citrus
Colour	: Colorless
Appearance	: aerosol

8/16



Version 1.0 Revision Date 28.02.2019 Print Date 22.04.2021 Specification Number: 350000035484 SITE FORM Number: 3000000000000023981.001

Initial boiling point and boiling range	:	100 °C
Flash point	:	> 95 °C Method: Tag Closed Cup (TCC)
Evaporation rate	:	Test not applicable for this product type
Flammability (solid, gas)	:	Does not sustain combustion.
Upper/lower flammability or explosive limits	:	Test not applicable for this product type
Vapour pressure	:	Test not applicable for this product type
Vapour density	:	Test not applicable for this product type
Relative density	:	1.0 g/cm3 at 20 °C
Solubility(ies)	:	completely soluble
Partition coefficient: n- octanol/water	:	Test not applicable for this product type
Auto-ignition temperature	:	The substance or mixture is not classified as self heating.
Decomposition temperature	:	Test not applicable for this product type
Viscosity, dynamic	:	similar to water
Viscosity, kinematic	:	similar to water
Explosive properties	:	Test not applicable for this product type
Oxidizing properties	:	Test not applicable for this product type
9.2 Other information		
Other information	:	None identified :

SECTION 10: STABILITY AND REACTIVITY



Version 1.0 Revision Date 28.02.2019 Print Date 22.04.2021 Specification Number: 350000035484 SITE FORM Number: 3000000000000023981.001

10.1 Reactivity	: No dangerous reaction known under conditions of normal use.
10.2 Chemical stability	: Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions	: None known.
10.4 Conditions to avoid	: Extremes of temperature and direct sunlight.
10.5 Incompatible materials	: None known.
10.6 Hazardous decomposition products	: No decomposition if stored and applied as directed.

#### SECTION 11: TOXICOLOGICAL INFORMATION

# **11.1 Information on toxicological effects**

#### Acute oral toxicity

Name	Method	Species	Dose
Product	LD50 Calculated		> 2,000 mg/kg

#### Acute inhalation toxicity

Name	Method	Species	Dose	Exposure time
Product	LC50 (dust and mist)		> 5 mg/l	
	Calculated			

#### Acute dermal toxicity

Name	Method	Species	Dose
Product	LD50 Calculated		> 2,000 mg/kg
Acute oral toxicity			



Version 1.0 Revision Date 28.02.2019 Print Date 22.04.2021 Specification Number: 350000035484 SITE FORM Number: 3000000000000023981.001

Name	Method	Species	Dose
potassium nitrite	LD50	Rat	57 mg/kg
2 11 1211 12 12	1050		420 //
2-methyl-2H-isothiazol-3-one	LD50	Rat	120 mg/kg

### Acute inhalation toxicity

Name	Method	Species	Dose	Exposure time
potassium nitrite	No data available			
2-methyl-2H-isothiazol-3-one	LC50 (dust and mist)	Rat	0.11 mg/l	

### Acute dermal toxicity

Name	Method	Species	Dose
potassium nitrite	No data available		
2-methyl-2H-isothiazol-3-one	LD50	Rat	242 mg/kg

Skin corrosion/irritation	:	Based on available data, the classification criteria are not met.
Serious eye damage/eye irritation	:	Based on available data, the classification criteria are not met.
Skin sensitisation	:	May cause an allergic skin reaction.
Germ cell mutagenicity	:	Based on available data, the classification criteria are not met.
Carcinogenicity	:	Based on available data, the classification criteria are not met.



Version 1.0 Revision Date 28.02.2019 Print Date 22.04.2021 Specification Number: 350000035484 SITE FORM Number: 3000000000000023981.001

Toxicity for reproduction	:	Based on available data, the classification criteria are not met.
STOT - single exposure	:	Based on available data, the classification criteria are not met.
STOT - repeated exposure	:	Based on available data, the classification criteria are not met.
Aspiration hazard	:	Based on available data, the classification criteria are not met.

# SECTION 12: ECOLOGICAL INFORMATION

**Product :** The product itself has not been tested.

#### 12.1 Toxicity

#### Toxicity to fish

Components	End point	Species	Value	Exposure time
potassium nitrite	LC50 flow-through test Read-across (Analogy)	Oncorhynchus mykiss (rainbow trout)	0.11 mg/l	96 h
2-methyl-2H-isothiazol-3-one	LC50	Oncorhynchus mykiss (rainbow trout)	4.77 mg/l	96 h
	NOEC	Oncorhynchus mykiss (rainbow trout)	2.38 mg/l	98 d
ethyl alcohol	LC50	Fish	11,200 mg/l	96 h

### Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
potassium nitrite	LC50 static test Read-across	other aquatic crustacea: DM	1.1 mg/l	48 h
12/16				



Version 1.0 Revision Date 28.02.2019 Print Date 22.04.2021 Specification Number: 350000035484 SITE FORM Number: 3000000000000023981.001

	(Analogy)			
2-methyl-2H-isothiazol-3-one	EC50	Daphnia magna (Water flea)	0.998 mg/l	48 h
	NOEC	Daphnia magna	0.359 mg/l	21 d
ethyl alcohol	LC50 static test	Ceriodaphnia dubia	5,012 mg/l	48 h
	NOEC	Daphnia magna	9.6 mg/l	9 d

### Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
potassium nitrite	No data available			
2-methyl-2H-isothiazol-3-one	EC10	Pseudokirchneriella subcapitata (green algae)	0.024 mg/l	24 h
ethyl alcohol	EC50 Static	Chlorella vulgaris (Fresh water algae)	275 mg/l	72 h

# 12.2 Persistence and degradability

Component	Biodegradation	Exposure time	Summary
potassium nitrite	No data available		
2-methyl-2H-isothiazol-3-one			Not readily biodegradable.
ethyl alcohol	97 %	28 d	Readily biodegradable.

### 12.3 Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n-Octanol/water (log)	
potassium nitrite	No data available	-3.7 Measured	



Version 1.0 Revision Date 28.02.2019 Print Date 22.04.2021 Specification Number: 350000035484 SITE FORM Number: 3000000000000023981.001

2-methyl-2H-isothiazol-3-one	3 estimated	-0.32
ethyl alcohol	3.2 estimated	-0.35 Measured

### 12.4 Mobility in soil

Component	End point	Value
potassium nitrite	No data available	
2-methyl-2H-isothiazol-3-one	Кос	0.03 - 246.7
ethyl alcohol	No data available	

### 12.5 Results of PBT and vPvB assessment

Component	Results
potassium nitrite	Not fulfilling PBT and vPvB criteria
2-methyl-2H-isothiazol-3-one	Not fulfilling PBT and vPvB criteria
ethyl alcohol	Not fulfilling PBT and vPvB criteria

12.6 Other adverse effects

None known.

SECTION 13: DISPOSAL CONSIDERATIONS 13.1 Waste treatment methods		
Product	:	Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Disposal should be in accordance with local, state or national legislation. Please recycle empty packaging.
Packaging	:	Do not re-use empty containers.
		14/16



Version 1.0 Revision Date 28.02.2019

Print Date 22.04.2021 Specification Number: 350000035484 SITE FORM Number: 300000000000023981.001

### **SECTION 14: TRANSPORT INFORMATION**

	Land transport	Sea transport	Air transport
14.1 UN number	1950	1950	1950
14.2 UN proper shipping	Aerosols, asphyxiant	Aerosols, Non-Flammable	Aerosols, Non-Flammable
name			
14.3 Transport hazard	2	2	2.2
class(es)			
14.4 Packing group			
14.5 Environmental			
hazards			
14.6 Special precautions	Limited quantities	Limited quantities	Limited quantities
for user	derogation may be	derogation may be	derogation may be
	applicable to this product,	applicable to this product,	applicable to this product,
	please check transport	please check transport	please check transport
	documents.	documents.	documents.
14.7 Transport in bulk	Product not transported as	Product not transported as	Product not transported as
according to Annex II of	bulk.	bulk.	bulk.
MARPOL 73/78 and the			
IBC Code			

# SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental	:	This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.
regulations/legislation specific for the substance or mixture		
15.2 Chemical safety assessment	:	Not required for consumer products.

# SECTION 16: OTHER INFORMATION

If applicable, revision(s) are noted by the bold bars || in left-hand margin.

### Key abbreviations or acronyms used

EC - European Community

EEC – European Economic Community

CLP – Classification Labelling & Packaging

EN – European Standard or European Norm



Version 1.0 Revision Date 28.02.2019 Print Date 22.04.2021 Specification Number: 350000035484 SITE FORM Number: 3000000000000023981.001

PBT – Persistent, Bioaccumulative & Toxic vPvB – very persistent, very bioaccumulative UN – United Nations

#### **Evaluation methods**

Unless otherwise stated in section 11, the procedure used to derive the human health classification is the relevant calculation method according to CLP regulation (EC) No 1272/2008 as amended.

Unless otherwise stated in section 12, the procedure used to derive the environmental classification is the summation of the classified components method according to CLP regulation (EC) No 1272/2008 as amended.

#### **Full text of H-Statements**

H272	May intensify fire; oxidizer.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.